


IT'S  
EASY  
TO BE  
CREATIVE

Profile LED


# INSO

## Data sheet

An architectural recessed profile for ceiling and wall applications, including installation in gypsum plasterboard using mounting springs, accommodating three parallel LED strips and compatible with the MODI mounting profile for neat, discreet power supply installation.



**Assembly methods**




**Watch the video**



# inSO








## LED Profiles

Length (mm): 1000, 2020, 3000

|                             | WHITE (LACQUERED)                                                                 | BLACK (LACQUERED)                                                                  | SILVER (ANODIZED)                                                                   |
|-----------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Profile colors</b>       |  |  |  |
| 1,0 m                       | 10-0121-10                                                                        | 10-0125-10                                                                         | 10-0124-10                                                                          |
| 2,02 m                      | 10-0121-20                                                                        | 10-0125-20                                                                         | 10-0124-20                                                                          |
| 3,0 m                       | 10-0121-30                                                                        | 10-0125-30                                                                         | 10-0124-30                                                                          |
| <b>LED strip width (mm)</b> | 3 × 10                                                                            |                                                                                    |                                                                                     |

## Covers (PMMA/PC)



Length (mm): 1000, 2020, 3000

| TRANSPARENT                                                                        | FROZEN                                                                             | MILKY                                                                              | MILKY FROSTED                                                                      | OPAL                                                                               | BLACK                                                                               | TRANSPARENT                                                                          | SILVER                                                                               | BLACK                                                                                |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>WIDE</b>                                                                        |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                     | <b>PRISMATIC PC</b>                                                                  | <b>RASTER WIDE</b>                                                                   |                                                                                      |
|  |  |  |  |  |  |  |  |  |
| 1 m PMMA: 11-2033-10<br>1 m PC: 11-3033-10                                         | 1 m PMMA: 11-2032-10<br>1 m PC: 11-3032-10                                         | 1 m PMMA: 11-2031-10<br>1 m PC: 11-3031-10                                         | 1 m PMMA: 11-2036-10                                                               |                                                                                    | 1 m PMMA: 11-2337-10<br>1 m PC Fractal: 11-3431-10<br>1 m PC Fractal: 11-3430-10    | 1 m PC: 11-3034-10                                                                   | 1 m: 14-7068-00                                                                      | 1 m: 14-2028-83                                                                      |

## End caps (aluminum and plastic)

| WITH HOLE                                                                           |                                                                                     |                                                                                     | WITHOUT HOLE                                                                         |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WHITE                                                                               | BLACK                                                                               | SILVER / GRAY                                                                       | WHITE                                                                                | BLACK                                                                                 | SILVER / GRAY                                                                         |
|  |  |  |  |  |  |
| ALU 12-0000-12                                                                      | ALU 12-0000-78                                                                      | ALU 12-0000-13                                                                      | ALU 12-0121-11                                                                       | ALU 12-0122-11                                                                        | ALU 12-0125-11                                                                        |
|                                                                                     |                                                                                     |                                                                                     |  |  |  |
|                                                                                     |                                                                                     |                                                                                     | ABS 12-0121-01                                                                       | ABS 12-0122-01                                                                        | ABS lacq. 12-0125-01<br>ABS 12-0124-01                                                |

## Accessories

| MODI ASSEMBLY PROFILE                                                               |                                                                                     |                                                                                     | ILED0 MOUNTING CLIP                                                                 | MOUNTING SPRING                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WHITE (LACQUERED)                                                                   | BLACK (LACQUERED)                                                                   | SILVER (ANODIZED)                                                                   |  |  |                                                                                       |
|  |  |  |                                                                                     |                                                                                       |                                                                                       |
| 1 m: 10-0131-10<br>2,02 m: 10-0131-20<br>3 m: 10-0131-30                            | 1 m: 10-0135-10<br>2,02 m: 10-0135-20<br>3 m: 10-0135-30                            | 1 m: 10-0134-10<br>2,02 m: 10-0134-20<br>3 m: 10-0134-30                            |                                                                                     |                                                                                       |                                                                                       |
|                                                                                     |                                                                                     |                                                                                     | 13-0210-02                                                                          | 14-5001-00                                                                            |                                                                                       |
| STRAIGHT CONNECTOR                                                                  | 90° ANGULAR CONNECTOR                                                               | 90° ANGULAR TRANSVERSE CONNECTOR                                                    | 120° ANGULAR CONNECTOR                                                              | 135° ANGULAR CONNECTOR                                                                | 3 x 120° ANGULAR CONNECTOR                                                            |
|  |  |  |  |  |  |
| 14-3032-02                                                                          | 14-3030-01                                                                          | 14-3038-01                                                                          | 14-3036-01                                                                          | 14-3028-67                                                                            | 14-3028-65                                                                            |

## Maximum dissipated power of LED light sources

| for temperature profile<br>55° C | for temperature profile<br>65° C |
|----------------------------------|----------------------------------|
| 61,5 W                           | 84,0 W                           |



[www.lumines.com](http://www.lumines.com)

