


IT'S
EASY
TO BE
CREATIVE

Profile LED

LARGO

Data sheet

A surface-mounted profile designed for assembling complex linear lighting systems, with the possibility of using up to six LED strips. Intended for use in commercial facilities and public utility premises.



Watch the video






LARGO

LARGO






LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)
Profile colors			
1,0 m	10-0281-10	10-0695-10	10-0284-10
2,02 m	10-0281-20	10-0705-20	10-0284-20
3,0 m	10-0281-30	10-0715-30	10-0284-30
LED strip width (mm)	6 x 12		

Covers (PMMA/PC)


Length (mm): 1000, 2020, 3000

TRANSPARENT	MILKY	MILKY FROSTED	OPAL	BLACK	MILKY
SUPER WIDE					SUPER WIDE PLEXI
					
1 m PMMA: 11-2093-10	1 m PMMA: 11-2091-10	1 m PMMA: 11-2096-10	1 m PC Fractal: 11-3411-10	1 m PMMA: 11-2097-10 1 m PC Fractal: 11-3417-10	1 m PLEXI: 11-3091-10

End caps (aluminum)

WITH HOLE			WITHOUT HOLE		
WHITE	BLACK	SILVER	WHITE	BLACK	SILVER
LARGO					
					
ALU 12-0431-10	ALU 12-0422-10	ALU 12-0515-10	ALU 12-0431-11	ALU 12-0422-11	ALU 12-0515-11

Accessories

STRAIGHT CONNECTOR	90° ANGULAR CONNECTOR	90° ANGULAR TRANSVERSE CONNECTOR	120° ANGULAR CONNECTOR	135° ANGULAR CONNECTOR	3 x 120° ANGULAR CONNECTOR	CABLE GLAND	
						WHITE	BLACK
							
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65	14-5046-01	14-5046-00
PENDANTS			CABLE Ø 5 mm HOLDER				
WHITE	BLACK	SILVER	TRANSPARENT	BLACK			
							
14-2075-00	14-2076-00	14-2011-02	14-7067-00	14-7067-02			


Maximum dissipated power of LED light sources

for temperature profile	for temperature profile
55° C	65° C
96,6 W	126,0 W

LARGO M1

Assembly profile

A basic assembly profile for the LARGO LED profile, designed for surface mounting in long LED strip lighting systems.



Basic assembly profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)
Profile colors			
1,0 m	10-0241-10	10-0425-10	10-0244-10
2,02 m	10-0241-20	10-0695-20	10-0244-20
3,0 m	10-0241-30	10-0425-30	10-0244-30


End caps (aluminum)

WITH HOLE			WITHOUT HOLE		
WHITE	BLACK	SILVER	WHITE	BLACK	SILVER
LARGO M1					
					
ALU 12-0441-10	ALU 12-0412-10	ALU 12-0445-10	ALU 12-0441-11	ALU 12-0412-11	ALU 12-0445-11
LARGO M1 + LARGO					
					
ALU 12-0451-10	ALU 12-0402-10	ALU 12-0455-10	ALU 12-0451-11	ALU 12-0902-11	ALU 12-0455-11

LARGO M2

Assembly profile

A power supply assembly profile – for the aesthetic installation of the power supply in surface lighting systems using the LARGO LED profile.



Power supply assembly profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)
Profile colors			
1,0 m	10-0251-10	10-0735-10	10-0254-10
2,02 m	10-0251-20	10-0605-20	10-0254-20
3,0 m	10-0251-30	10-0435-30	10-0254-30


End caps (aluminum)

WITH HOLE			WITHOUT HOLE		
WHITE	BLACK	SILVER	WHITE	BLACK	SILVER
LARGO M2					
					
ALU 12-0461-10	ALU 12-0432-10	ALU 12-0465-10	ALU 12-0461-11	ALU 12-0422-11	ALU 12-0465-11
LARGO M2 + LARGO					
					
ALU 12-1021-10	ALU 12-0902-10	ALU 12-1025-10	ALU 12-1021-11	ALU 12-0000-14	ALU 12-1025-11

LARGO M3


Assembly profile

A constructional profile for the LARGO LED profile – for direct installation in drywall. Used with the interprofile connector, it allows the light source to be directed in several directions.




Ceiling assembly profiles


Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)
Profile colors			
1,0 m	10-0261-10	10-0435-10	10-0264-10
2,02 m	10-0261-20	10-0435-20	10-0264-20
3,0 m	10-0261-30	10-0435-30	10-0264-30

End caps (aluminum)

FULL FINISH			BASIC FINISH		
WHITE	BLACK	SILVER	WHITE	BLACK	SILVER
LARGO M3					
					
ALU 12-0471-11	ALU 12-0432-11	ALU 12-0475-11	ALU 12-0481-11	ALU 12-0442-11	ALU 12-0485-11


Accessories

STRAIGHT CONNECTOR	90° ANGULAR CONNECTOR	90° ANGULAR TRANSVERSE CONNECTOR	120° ANGULAR CONNECTOR	135° ANGULAR CONNECTOR	3 x 120° ANGULAR CONNECTOR	MOUNTING SPRING	LARGO INTER-PROFILE CONNECTOR
							
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65	14-5001-00	14-3040-03

LARGO M4




Assembly profile

A ceiling assembly profile for the LARGO LED profile – designed for use in recessed systems.



Ceiling assembly profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)
Profile colors			
1,0 m	10-0271-10	10-0445-10	10-0274-10
2,02 m	10-0271-20	10-0445-20	10-0274-20
3,0 m	10-0271-30	10-0445-30	10-0274-30

End caps (aluminum)

FULL FINISH			BASIC FINISH		
WHITE	BLACK	SILVER	WHITE	BLACK	SILVER
LARGO M4					
					
ALU 12-0491-11	ALU 12-0452-11	ALU 12-0495-11	ALU 12-0501-11	ALU 12-0462-11	ALU 12-0505-11


Accessories

STRAIGHT CONNECTOR	90° ANGULAR CONNECTOR	90° ANGULAR TRANSVERSE CONNECTOR	120° ANGULAR CONNECTOR	135° ANGULAR CONNECTOR	3 x 120° ANGULAR CONNECTOR
					
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65
LARGO INTER-PROFILE CONNECTOR	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)		
					
14-3040-03	1 m: 10-0311-10 2,02 m: 10-0311-20 3 m: 10-0311-30	1 m: 10-0485-10 2,02 m: 10-0485-20 3 m: 10-0485-30	1 m: 10-0314-10 2,02 m: 10-0314-20 3 m: 10-0314-30		

Connection of LARGO profiles with LARGO M3

Vertical load until LARGO profile falls out LARGO M3: 3,5 kg/m


Recommended number of connectors per 1 m: 3 pieces



Connection of LARGO profiles with LARGO M4

Vertical load until LARGO profile falls out LARGO M3: 3,5 kg/m

Recommended number of connectors per 1 m: 3 pieces





www.lumines.com

