


IT'S
EASY
TO BE
CREATIVE

Profile LED


MICO

Data sheet

A round LED profile for spot decorative lighting of pictures, shop windows, and exhibitions. It can be installed surface-mounted or suspended using dedicated mounting profiles, and with the optional mounting system can be precisely aimed at the display surface to accent selected areas without changing the installation layout.



Assembly methods








Watch the video



MICO






LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW
Profile colors					
1,0 m	10-0301-10	10-0302-10	10-0303-10	10-0304-10	10-0300-10
2,02 m	10-0301-20	10-0302-20	10-0303-20	10-0304-20	10-0300-20
3,0 m	10-0301-30	10-0302-30	10-0303-30	10-0304-30	10-0300-30
LED strip width (mm)	up to 12				

Covers (PMMA)

Length (mm): 1000, 2020, 3000

TRANSPARENT	FROZEN	MILKY	MILKY FROSTED	BLACK PMMA	SLIM LENS 15
SLIM					
					
1 m PMMA: 11-2273-10	1 m PMMA: 11-2262-10	1 m PMMA: 11-2251-10	1 m PMMA: 11-2246-10	1 m PMMA: 11-2237-10	1 m PMMA: 11-2100-10

End caps (aluminum and plastic)

WITH HOLE				WITHOUT HOLE			
WHITE	BLACK	INOX	SILVER / GRAY	WHITE	BLACK	INOX	SILVER / GRAY
							
ABS 12-0981-00	ABS 12-0982-00	ABS 12-0983-00	ABS lacq. 12-0985-00 ABS 12-0984-00	ABS 12-0981-01	ABS 12-0982-01	ABS 12-0983-01	ABS lacq. 12-0985-01 ABS 12-0984-01
							
	ALU 12-0542-10		ALU 12-0545-10		ALU 12-0542-11		ALU 12-0545-11

Accessories

	WHITE	BLACK	SILVER
MICO METAL MOUNTING CLIP			
	13-0691-02	13-0832-02	13-0150-02
HINGE		HINGE JOINT BASE	
	14-6045-00	14-6044-02	
FEMALE HINGE JOINT		MALE HINGE JOINT	
	14-6044-04		14-6044-03
METRO ASSEMBLY PROFILE		KNURLED SCREW	
	1 m: 10-0294-10 2,02 m: 10-0294-20 3 m: 10-0294-30		14-6044-06

Maximum dissipated power of LED light sources

for temperature profile 55° C	for temperature profile 65° C
15,4 W	19,6 W



www.lumines.com

