


IT'S EASY TO BE CREATIVE

Profile LED

V

Data sheet

Recessed, angled furniture LED profile intended for illuminating shelves. The profile construction directs the light output at a 15° angle, while the recessed cover helps reduce glare (UGR). Suitable for installation in a 16 mm wide groove.






Assembly methods










LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (ANODIZED)	SILVER (ANODIZED)	RAW
Profile colors				
1,0 m	10-1161-10	10-1165-10	10-1164-10	10-1160-10
2,02 m	10-1161-20	10-1165-20	10-1164-20	10-1160-20
3,0 m	10-1161-30	10-1165-30	10-1164-30	10-1160-30
LED strip width (mm)	up to 13			

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROZEN	MILKY	MILKY FROSTED	OPAL	BLACK
BASIC						
						
1 m PMMA: 11-2213-10 1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PMMA: 11-2212-10 1 m PC 2.0: 11-3532-10	1 m PMMA: 11-2211-10 1 m PC 2.0: 11-3531-10	1 m PMMA: 11-2216-10	1 m PC Fractal: 11-3211-10	1 m PMMA: 11-2217-10 1 m PC Fractal: 11-3347-10

End caps (aluminum and plastic)

WITH HOLE					
WHITE		BLACK		SILVER* / GRAY**	
LEFT	RIGHT	LEFT	RIGHT	LEFT	RIGHT
					
ALU lacq. 12-1451-10 ABS 12-1361-00	ALU lacq. 12-1441-10 ABS 12-1371-00	ALU lacq. 12-1452-10 ABS 12-1362-00	ALU lacq. 12-1442-10 ABS 12-1372-00	*ALU anod. 12-1455-10 *ABS lacq. 12-1365-00 / ** ABS 12-1364-00	*ALU anod. 12-1445-10 *ABS lacq. 12-1375-00 / ** ABS 12-1374-00



www.lumines.com

