




LUMINES®
Design+

alba
LUMINES®
Design+

The art of creation

LUMINES Design+ is a premium series of aluminum profiles from LUMINES Lighting, combining the highest quality craftsmanship, functionality, and modern design solutions, all wrapped in an elegant, minimalist aesthetic. This collection empowers architects and designers to create unique lighting structures that enhance the character and sophistication of their projects. With an expanded color palette tailored to the latest trends in design and interior architecture, LUMINES Design+ offers unparalleled versatility, perfect for demanding, personalized applications.




alba

LED profile | **LUMINES Design+** Series

A surface-mounted or suspended LED profile designed for primary lighting, providing an even more uniform light line thanks to the deeper placement of the LED strip. Straight and angular connectors enable the creation of unique lighting structures.

LUMINES Design+ Innovations:

- minimized side edge thickness – the profile becomes "invisible", creating a high-aesthetic and elegant light line,
- FRACTAL cover ensures uniform light diffraction,
- suspension mounts hidden within the profile structure,
- special base design allows mounting screws to align with the profile base – achieved through countersunk holes,
- enhanced heat dissipation extends the lifespan of the light source – thanks to the increased base thickness,
- aluminum end caps without visible bolts – flat, uniform surface,
- expanded Design+ color palette: profiles + end caps,
- chrome-plated handles.





Assembly methods



alba




LED Profiles

Length (mm): 1000, 2020, 3000

	SILVER (ANODIZED)	BLACK (ANODIZED)	BLACK (LACQURED)	WHITE (LACQURED)	RAW
Profile colors					
1,0 m	10-1404-10	10-1402-10	10-1405-10	10-1401-10	10-1400-10
2,02 m	10-1404-20	10-1402-20	10-1405-20	10-1401-20	10-1400-20
3,0 m	10-1404-30	10-1402-30	10-1405-30	10-1401-30	10-1400-30
	Rock Anthracite RAL 7016	Reed Green RAL 6013	Sky Blue RAL 220 70 10	Light Ivory RAL 1015	
Profile colors					
1,0 m	10-1409-10	10-1408-10	10-1407-10	10-1406-10	
2,02 m	10-1409-20	10-1408-20	10-1407-20	10-1406-20	
3,0 m	10-1409-30	10-1408-30	10-1407-30	10-1406-30	
LED strip width (mm)	2 x 12				

Covers (PC)

Length (mm): 1000, 2020, 3000


OPAL	CLEAR	BLACK
midi		
		
1 m PC Fractal: 11-3401-10	1 m PC Fractal: 11-3403-10	1 m PC Fractal: 11-3407-10

Accessories

SLT METAL MOUNTING CLIP	PENDANTS			CABLE Ø 5 mm HOLDER	
	WHITE	BLACK	SILVER	TRANSPARENT	BLACK
					
13-0000-02	14-2075-00	14-2076-00	14-2011-02	14-7067-00	14-7067-02
STRAIGHT CONNECTOR	90° ANGULAR CONNECTOR	ANGULAR TRANSVERSE CONNECTOR	120° ANGULAR CONNECTOR	135° ANGULAR CONNECTOR	3 x 120° ANGULAR CONNECTOR
					
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65


End caps (aluminum and plastic)

WITHOUT HOLE (PLASTIC)							
SILVER	BLACK	WHITE	GREY	Rock Anthracite RAL 7016	Reed Green RAL 6013	Sky Blue RAL 220 70 10	Light Ivory RAL 1015
							
12-1535-01	12-1532-01	12-1531-01	12-1534-01	12-1539-01	12-1536-01	12-1537-01	12-1538-01
WITHOUT HOLE (ALUMINUM ANODIZED)							
SILVER	BLACK						
							
12-1535-11	12-1532-11						
WITHOUT HOLE (ALUMINUM LACQUERED)							
	BLACK	WHITE		Rock Anthracite RAL 7016	Reed Green RAL 6013	Sky Blue RAL 220 70 10	Light Ivory RAL 1015
							
	12-1532-21	12-1531-11		12-1539-11	12-1536-11	12-1537-11	12-1538-11



Installation instructions for **alba LED profile** with **midi cover** using **pendants**.

The result of installation of **alba LED profile** with **midi cover** using **pendants**.



Assembly scheme for elements of the LED lighting system using **alba LED profile** and (1) **midi cover**, (2) **two LED strips**, (3) **end caps without holes**, (4) **straight connector**, (5) **pendants**.



alba
LUMINES

Visit us on: lumines.com

