



LUMINES®
Design+

0110
LUMINES®

The art of creation

LUMINES Design+ is a premium series of aluminum profiles from LUMINES Lighting, combining the highest quality craftsmanship, functionality, and modern design solutions, all wrapped in an elegant, minimalist aesthetic. This collection empowers architects and designers to create unique lighting structures that enhance the character and sophistication of their projects. With an expanded color palette tailored to the latest trends in design and interior architecture, LUMINES Design+ offers unparalleled versatility, perfect for demanding, personalized applications.


aria

LED profile | **LUMINES Design+** Series

A surface-mounted or suspended LED profile designed for primary lighting. With straight and angular connectors, it enables the creation of unique lighting structures.

LUMINES Design+ Innovations:

- minimized side edge thickness – the profile becomes "invisible", creating a high-aesthetic and elegant light line,
- FRACTAL cover ensures uniform light diffraction,
- suspension mounts hidden within the profile structure,
- special base design allows mounting screws to align with the profile base – achieved through countersunk holes,
- enhanced heat dissipation extends the lifespan of the light source – thanks to the increased base thickness,
- aluminum end caps without visible bolts – flat, uniform surface,
- expanded Design+ color palette: profiles + end caps,
- chrome-plated handles.



Assembly methods



aria



LED Profiles

Length (mm): 1000, 2020, 3000

	SILVER (ANODIZED)	BLACK (ANODIZED)	BLACK (LACQURED)	WHITE (LACQURED)	RAW
Profile colors					
1,0 m	10-1424-10	10-1422-10	10-1425-10	10-1421-10	10-1420-10
2,02 m	10-1424-20	10-1422-20	10-1425-20	10-1421-20	10-1420-20
3,0 m	10-1424-30	10-1422-30	10-1425-30	10-1421-30	10-1420-30
Profile colors	Rock Anthracite RAL 7016	Reed Green RAL 6013	Sky Blue RAL 220 70 10	Light Ivory RAL 1015	
1,0 m	10-1429-10	10-1428-10	10-1427-10	10-1426-10	
2,02 m	10-1429-20	10-1428-20	10-1427-20	10-1426-20	
3,0 m	10-1429-30	10-1428-30	10-1427-30	10-1426-30	
LED strip width (mm)	2 x 12				

Covers (PC)

Length (mm): 1000, 2020, 3000


OPAL	CLEAR	BLACK
midi		
1 m PC Fractal: 11-3401-10	1 m PC Fractal: 11-3403-10	1 m PC Fractal: 11-3407-10

Accessories

SLT METAL MOUNTING CLIP	PENDANTS			CABLE Ø 5 mm HOLDER	
	WHITE	BLACK	SILVER	TRANSPARENT	BLACK
13-0000-02	14-2075-00	14-2076-00	14-2011-02	14-7067-00	14-7067-02
STRAIGHT CONNECTOR	90° ANGULAR CONNECTOR	ANGULAR TRANSVERSE CONNECTOR	120° ANGULAR CONNECTOR	135° ANGULAR CONNECTOR	3 x 120° ANGULAR CONNECTOR
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65


End caps (aluminum and plastic)

WITHOUT HOLE (PLASTIC)							
SILVER	BLACK	WHITE	GREY	Rock Anthracite RAL 7016	Reed Green RAL 6013	Sky Blue RAL 220 70 10	Light Ivory RAL 1015
							
12-1525-01	12-1522-01	12-1521-01	12-1524-01	12-1529-01	12-1526-01	12-1527-01	12-1528-01
WITHOUT HOLE (ALUMINIUM ANODIZED)							
SILVER	BLACK						
							
12-1525-11	12-1522-11						
WITHOUT HOLE (ALUMINIUM LACQUERED)							
	BLACK	WHITE		Rock Anthracite RAL 7016	Reed Green RAL 6013	Sky Blue RAL 220 70 10	Light Ivory RAL 1015
							
	12-1522-21	12-1521-11		12-1529-11	12-1526-11	12-1527-11	12-1528-11



Installation instructions for **aria LED profile** with **midi cover** using **aria mounting clip**.

The result of installation of **aria LED profile** with **midi cover** using **aria mounting clip**.



Assembly scheme for elements of the LED lighting system using **aria LED profile** and (1) **midi cover**, (2) **two LED strips**, (3) **end caps**, (4) **straight connector**.





Visit us on: lumines.com



LUMINES[®]
Design⁺