


IT'S EASY TO BE CREATIVE

Profile LED

BRUNO

Data sheet



A recessed, ceiling-mounted, wall-adjacent LED profile for plaster-in installation, intended for accent lighting with two LED strips to create a shadow gap effect, with a wall-adjacent side aligned to gypsum plasterboard thickness to simplify finishing and painting.



BRUNO








LED Profiles

Length (mm): 1000, 2020, 3000



	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)	RAW
Profile colors				
1,0 m	10-1531-10	10-1535-10	10-1534-10	10-1530-10
2,02 m	10-1531-20	10-1535-20	10-1534-20	10-1530-10
3,0 m	10-1531-30	10-1535-30	10-1534-30	10-1530-10
LED strip width (mm)	up to 10			

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROZEN	MILKY	MILKY FROSTED	OPAL	BLACK
BASIC						
						
1 m PMMA: 11-2213-10 1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PMMA: 11-2212-10 1 m PC 2.0: 11-3532-10	1 m PMMA: 11-2211-10 1 m PC 2.0: 11-3531-10	1 m PMMA: 11-2216-10	1 m PC Fractal: 11-3211-10	1 m PMMA: 11-2217-10 1 m PC Fractal: 11-3347-10

End caps (aluminum and plastic)

WITH HOLE (PLASTIC)			
WHITE	BLACK	SILVER	GRAY
			
12-1671-00	12-1672-00	12-1675-00	12-1674-00
WITH HOLE (ALUMINIUM)			
WHITE	BLACK	SILVER	
			
12-1671-10	12-1672-10	12-1675-10	



www.lumines.com

