


IT'S
EASY
TO BE
CREATIVE

Profile LED

MOTTA

Data sheet


A recessed ceiling-mounted, wall-adjacent LED profile for plaster-in installation, accommodating two LED strips for accent lighting and creating a shadow gap effect, with a wall-adjacent side aligned to gypsum plasterboard thickness to simplify finishing and painting.



MOTTA







LED Profiles

Length (mm): 1000, 2020, 3000








	WHITE (LACQUERED)	BLACK (LACQUERED)	SILVER (ANODIZED)	RAW
Profile colors				
1,0 m	10-1591-10	10-1595-10	10-1594-10	10-1590-10
2,02 m	10-1591-20	10-1595-20	10-1594-20	10-1590-20
3,0 m	10-1591-30	10-1595-30	10-1594-30	10-1590-30
LED strip width (mm)	2 x 10			

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROZEN	MILKY	MILKY FROSTED	OPAL	BLACK
DOUBLE						
						
1 m PMMA: 11-2073-10 1 m PC 2.0: 11-3733-10	1 m PC Fractal: 11-3373-10	1 m PMMA: 11-2072-10 1 m PC 2.0: 11-3722-10	1 m PMMA: 11-2071-10 1 m PC 2.0: 11-3701-10	1 m PMMA: 11-2076-10	1 m PC Fractal: 11-3371-10	1 m PMMA: 11-2077-10 1 m PC Fractal: 11-3470-10

End caps (aluminium and plastic)

WITH HOLE (PLASTIC)			
WHITE	BLACK	SILVER	GRAY
			
12-1681-00	12-1682-00	12-1685-00	12-1684-00
WITH HOLE (ALUMINUM)			
WHITE	BLACK	SILVER	
			
12-1681-10	12-1682-10	12-1685-10	



www.lumines.com

