


IT'S
EASY
TO BE
CREATIVE

Profile LED

MONO

Data sheet

A recessed LED profile for integration with gypsum plasterboard constructions, featuring perforated flanges for precise screw or joint-compound installation and compatibility with dedicated connectors for seamless wall-to-ceiling transitions and custom lighting shapes. The profile is not painted in the areas intended for filling, which improves the adhesion of the filler compound to its surface.



Assembly methods



Watch the video






MONO



LED Profiles








Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)*	BLACK (LACQUERED)*	SILVER (ANODIZED)
Profile colors			
1,0 m	10-0681-10	10-0685-10	10-0684-10
2,02 m	10-0681-20	10-0685-20	10-0684-20
3,0 m	10-0681-30	10-0685-30	10-0684-30
LED strip width (mm)	up to 12		



*The profile is not painted in the areas intended for filling, which improves the adhesion of the filler compound to its surface.

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROZEN	MILKY	MILKY FROSTED	OPAL	BLACK
BASIC						
						
1 m PMMA: 11-2213-10 1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PMMA: 11-2212-10 1 m PC 2.0: 11-3532-10	1 m PMMA: 11-2211-10 1 m PC 2.0: 11-3531-10	1 m PMMA: 11-2216-10	1 m PC Fractal: 11-3211-10	1 m PMMA: 11-2217-10 1 m PC Fractal: 11-3347-10

End caps (aluminum and plastic)

WITH HOLE					
WHITE		BLACK		SILVER/ GRAY	
LEFT	RIGHT	LEFT	RIGHT	LEFT	RIGHT
					
ALU 12-1231-10	ALU 12-1241-10	ALU 12-0000-17	ALU 12-0000-18	ALU 12-1235-10	ALU 12-1245-10
					
ABS 12-1081-00		ABS 12-1082-00		ABS lacq. 12-1285-01 ABS 12-1084-00	

Accessories

STRAIGHT CONNECTOR	90° ANGULAR CONNECTOR	90° ANGULAR TRANSVERSE CONNECTOR	120° ANGULAR CONNECTOR	135° ANGULAR CONNECTOR	3 x 120° ANGULAR CONNECTOR
					
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65
BASIC PLASTER-IN COVER					
					
1 m: 14-2029-06 2,02 m: 14-2029-07 3 m: 14-2029-08					



www.lumines.com

