


IT'S
EASY
TO BE
CREATIVE

Profile LED

ONI

Data sheet

A compact LED profile designed for limited installation spaces, delivering maximum light output with minimal profile height for surface-mounted decorative lighting in furniture and interior finishes, as well as suspended installations in architectural interiors.



Assembly methods







ONI

ONI




LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW
Profile colors					
1,0 m	10-1761-10	10-1762-10	10-1763-10	10-1764-10	10-1760-10
2,02 m	10-1761-20	10-1762-20	10-1763-20	10-1764-20	10-1760-20
3,0 m	10-1761-30	10-1762-30	10-1763-30	10-1764-30	10-1760-30
LED strip width (mm)	up to 12				

Covers (PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	MILKY	FROZEN
LEAN		
		
1 m PC: 11-3480-10	1 m PC: 11-3481-10	1 m PC: 11-3482-10

End caps (aluminum and plastic)

2 in 1				WITHOUT HOLE	WITH HOLE
WHITE	BLACK	INOX	SILVER / GRAY	SILVER (ANODIZED)	SILVER (ANODIZED)
					
			ABS lacq. 12-1905-01	ALU 12-1955-11	ALU 12-1955-10
ABS 12-1901-01	ABS 12-1902-01	ABS 12-1903-01	ABS 12-1904-01		

Accessories

	WHITE	BLACK	SILVER
ONI METAL MOUNTING CLIP			
	13-1091-02	13-1132-02	14-2028-86
PENDANTS			
	14-2075-00	14-2076-00	14-2011-02
CABLE Ø 5 mm HOLDER	TRANSPARENT	BLACK	HINGE
			
	14-7067-00	14-7067-02	14-6045-00



www.lumines.com

