



IT'S EASY TO BE CREATIVE

LED Profile

AGO

Data sheet

An LED profile designed for surface-mounted lighting in furniture and interior finishes. It is intended for applications where the light beam needs to be directed at a 45° angle. The use of the wide COMPACT cover provides a soft, uniform lighting effect and a decorative appearance.







AGO






LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (LACQUERED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW
Profile colors					
1,0 m	10-1801-10	10-1802-10	10-1803-10	10-1804-10	10-1800-10
2,02 m	10-1801-20	10-1802-20	10-1803-20	10-1804-20	10-1800-20
3,0 m	10-1801-30	10-1802-30	10-1803-30	10-1804-30	10-1800-30
LED strip width (mm)	up to 12				

Covers (PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	MILKY	FROZEN
COMPACT		
		
1 m PC: 11-3500-10	1 m PC: 11-3501-10	1 m PC: 11-3502-10

End caps (aluminum and plastic)

2 in 1				WITHOUT HOLE	WITH HOLE
WHITE	BLACK	INOX	SILVER / GRAY	SILVER (ANODIZED)	SILVER (ANODIZED)
					
ABS 12-1941-01	ABS 12-1942-01	ABS 12-1943-01	ABS lacq 12-1945-01 ABS 12-1944-01	ALU 12-1995-11	ALU 12-1995-10

Accessories

	WHITE	BLACK	SILVER
SEI METAL MOUNTING CLIP			
	13-1081-02	13-1122-02	14-2028-89
PENDANTS			
	14-2075-00	14-2076-00	14-2011-02
CABLE Ø 5 mm HOLDER			HINGE 
	14-7067-00	14-7067-02	14-6045-00



www.lumines.com

