## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	: Led Labs Lighting
--------------------------------	---------------------

Supplier's address: LED Labs Sp. z o.o., ul. Zakopiańska 2C, 30-418 Kraków Polska

Model identifier: WI-3Y24V25WWW20-DB

<b>T</b>	- 6	10 - 1- 1		
IVna	$\alpha$ T	IIσnt	source:	,
IVDC	vı	HEILL	Jourte.	

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	wire		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nie
Colour-tuneable light source:	Nie	Envelope:	-
High luminance light source:	Nie		
Anti-glare shield:	Nie	Dimmable:	Only with specific dimmers

## **Product parameters**

		i Todact para		
Parameter		Value	Parameter	Value
		General product p	parameters:	
<u> </u>	mption in on- 100 h), rounded est integer	13	Energy efficiency class	E
indicating if it r in a sphere (3	us flux (фuse), refers to the flux 60º), in a wide in a narrow cone	1 513 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode pressed in W	oower (P <sub>on</sub> ),	12,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00
for CLS, expre	ndby power (P <sub>net</sub> ) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer	Height	3	Spectral power	See image
dimensions	Width	20	distribution in the	in last page
Strong 1 / 3				

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	500	range 250 nm to 800 nm, at full-load	
Claim of equiva	lent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
			Chromaticity	0,432
			coordinates (x and y)	0,401
Parameters for LED and OLED light sources:				
R9 colour rende	ring index value	9	Survival factor	1,00
the lumen main	tenance factor	0,96		

(a)<sub>'-'</sub>: not applicable;

(b)<sub>'-'</sub> : not applicable;

